

Ray-floret width 1.2 cm  
Ratio length / width Low to medium  
Shape of tip Pointed

Disc florets

Disc diameter Medium to small, 1.0 -  
1.2 cm  
Distribution of disc florets Numerous, clearly visible  
at all stages of  
flowering  
Type Tubular  
Color Yellow-green 144 A  
Receptacle shape Conical raised

Reproductive Organs

Stamen (present in disc florets only) Yellow-green, thin 3 mm  
in length  
Stamen color Yellow-green 150 B  
Pollen Appears at a very late  
stage of flowering,  
Pollen color Close to yellow 12 A  
Styles (present in both ray and disc florets) Green, thin  
Style color Green 143 B  
Style Length 4 mm  
Stigmas Yellow-green  
Stigma Width 1 mm

Ovaries

Enclosed in calyx

Plant

Form

A spray mum meant for  
erect culture

Growth habit

Upright

Growth rate

Vigorous

Height

105 - 130 cm

internodes

3- 3.5 cm

Spray formation

Corymbiform (funnel-  
shaped, with a little  
round to flat umbel on  
top)

Peduncle length

Near the top 14 cm, near  
the middle 21 cm, near  
the bottom 26 cm

Peduncle color

Green 138 B

Peduncle, attachment

Good, not brittle

Peduncle, angle with  
stem

Small, 30 °

Stem Color

Green 144 A

Stem Strength

Medium

Stem Brittleness

Absent

Stem Anthocyanin  
Coloration

Absent

Flowering 49 days

Response(photo-  
periodic controlled  
crop, not natural  
season)

Foliage

Color Upper side green 137 A

Under side green  
147 B

Size Medium; length +/- 12 cm,  
width +/- 8 cm

Quantity (number per 22 - 28  
single stem)

Shape Ovate

Texture upper side Scabrous

Texture under side Slightly pubescent

Venation arrangement Pinnate

Shape of the margin Lobed

Shape of Base of Round  
Sinus Between  
Lateral Lobes

Margin of Sinus Converging  
Between Lateral  
Lobes

Shape of Base Truncate

Apex Mucronate

Table 2: Differences with the comparison Varieties